



MK Diamond Products, Inc.

GENERAL PURPOSE - DIAMOND BLADES

VECTOR™

VECTOR™
PLUS



1315 Storm Parkway, Torrance, CA 90501, USA
Tel: 1.800.421.5830, 310.539.5221 • Fax: 310.539.5158
mkdiamond.com • customer_service@mkdiamond.com



VECTOR™

Vector Diamond Blades

The Vector series provides medium blade life and 10% faster cutting than standard blades.



Continuous Rim Diamond Tile Blades

Continuous rim for ultra smooth cuts. Ideal for cutting ceramic tile, granite, marble, slate and porcelain.



Diameter	Width	Arbor	Part#
4" (102 mm)	.080	7/8"-20mm-5/8"	168318*
4-1/2" (114 mm)	.080	7/8"-20mm-5/8"	168319*
7" (178 mm)	.090	DM-7/8"-5/8"	168320*
10" (254 mm)	.090	5/8"	168322*

*Blades also available in bulk packs of 5 blades.



Segmented Rim Diamond Blades

Segmented rim for fast, aggressive cuts. Ideal for cutting concrete, stone, brick, block, and paver.



Diameter	Width	Arbor	Part#
4" (102 mm)	.080	7/8"-20mm-5/8"	168298*
4-1/2" (114 mm)	.080	7/8"-20mm-5/8"	168300*
5" (127 mm)	.080	7/8"-5/8"	170229
7" (178 mm)	.090	DM-7/8"-5/8"	168303*
10" (254 mm)	.080	DM-7/8"-5/8"	168305
12" (305 mm)	.125	1"-20mm	167307
12" (305 mm)	.125	20mm	167308
14" (356 mm)	.125	1"	168306
16" (406 mm)	.125	1"	168307
18" (457 mm)	.142	1"-20mm	168308
20" (508 mm)	.142	1"-20mm	168309

*Blades also available in bulk packs of 5 blades.



Turbo Rim Diamond Blades

Turbo rim for fast, smooth cuts. Ideal for cutting concrete, granite, brick, paver, sandstone, stucco, and roof tile.



Diameter	Width	Arbor	Part#
4" (102 mm)	.080	7/8"-20mm-5/8"	168310*
4-1/2" (114 mm)	.080	7/8"-20mm-5/8"	168311*
7" (178 mm)	.090	DM-7/8"-5/8"	168313*
10" (254 mm)	.090	DM-7/8"-5/8"	168315
12" (305 mm)	.125	1"-20mm	168316
14" (356 mm)	.125	1"-20mm	168317

*Blades also available in bulk packs of 5 blades.

Vector Plus Diamond Blades

The Vector Plus series provides longer blade life and 30% faster cutting than standard blades.



Continuous Rim Diamond Tile Blades

Continuous rim for ultra smooth cuts. Ideal for cutting ceramic tile, granite, marble, slate and porcelain.



Diameter	Width	Arbor	Part#
4" (102 mm)	.080	7/8"-20mm-5/8"	168346*
4-1/2" (114 mm)	.080	7/8"-20mm-5/8"	168347*
7" (178 mm)	.080	DM-7/8"-5/8"	168348*
8" (203 mm)	.080	DM-7/8"-5/8"	168349
10" (254 mm)	.080	5/8"	168350

*Blades also available in bulk packs of 5 blades.



Segmented Rim Diamond Blades

Segmented rim for fast, aggressive cuts. Ideal for cutting concrete, stone, brick, block, and paver.



Diameter	Width	Arbor	Part#
4" (102 mm)	.080	7/8"-20mm-5/8"	168323*
4-1/2" (114 mm)	.080	7/8"-20mm-5/8"	168325*
7" (178 mm)	.080	DM-7/8"-5/8"	168328*
9" (229 mm)	.090	DM-7/8"-5/8"	168329
10" (254 mm)	.080	DM-7/8"-5/8"	168330
12" (305 mm)	.125	1"-20mm	168331*
14" (356 mm)	.125	1"-20mm	168332*
16" (406 mm)	.125	1"-20mm	168333
18" (457 mm)	.125	1"-20mm	168334
20" (508 mm)	.125	1"-20mm	168335

*Blades also available in bulk packs of 5 blades.



Turbo Rim Diamond Blades

Turbo rim for fast, smooth cuts. Ideal for cutting concrete, granite, brick, paver, sandstone, stucco, and roof tile.



Diameter	Width	Arbor	Part#
4" (102 mm)	.080	7/8"-20mm-5/8"	168336*
4-1/2" (114 mm)	.080	7/8"-20mm-5/8"	168337*
7" (178 mm)	.090	DM-7/8"-5/8"	168338*
9" (229 mm)	.090	DM-7/8"-5/8"	168339
10" (254 mm)	.090	DM-7/8"-5/8"	168340
12" (305 mm)	.125	1"-20mm	168341
14" (356 mm)	.125	1"-20mm	168342
16" (406 mm)	.125	1"-20mm	168343
18" (457 mm)	.125	1"-20mm	168344
20" (508 mm)	.125	1"-20mm	168345

*Blades also available in bulk packs of 5 blades.

VECTOR™

GENERAL PURPOSE DIAMOND BLADE



Bulk Pack G.P. Blades (5 Blades)

The Vector series are general purpose diamond blades that are ideal for contractors who need to cut a wide variety of different materials. Vector blades are 10% faster cutting than standard blades.

- Brick
- Block
- Concrete
- Granite
- Pavers
- Bluestone

Diameter	Width	Arbor	Bulk Part#
12" (305mm)	.125	1" - 20mm	169241
12" (305mm)	.125	20mm	169242
14" (356mm)	.125	1"	167150

Segment Height: 10 mm



VECTOR™ PLUS

ASPHALT AND ASPHALT/CONCRETE



Core Protection



The Vector Plus Asphalt and Asphalt /Concrete series offers a wet/dry cutting segmented rim diamond blade for cutting softer materials like asphalt and overlay applications. Full Radius Core Protection is provided every six segments in order to protect against undercutting during all cutting operations. This blade is designed for contractor's who demand efficiency and value from every cut.


Diameter	Width	Arbor	Part#
12" (305mm)	.125	1"	169302
12" (305mm)	.125	20mm	169298
14" (356mm)	.125	1"	169299
14" (356mm)	.125	20mm	169300
16" (406mm)	.125	1"	169301

Segment Height: 10 mm



TUCK POINTS

MK Diamond offers diamond blades for masonry pointing applications. Repair and restoration projects are quick and easy when using Vector Series tuck point blades. Tuck point blades are used with angle grinders and tuck pointers for fast mortar removal, grout repair and cleaning of concrete applications.



Vector Series Tuck Point Blades have a .250" width for fast and easy cleaning of mortar joints.

VECTOR™

VECTOR™ PLUS

Diameter	Width	Arbor	Part#
4" (102 mm)	.250	7/8"-5/8"	168299
4-1/2" (114 mm)	.250	7/8"-5/8"	168301

Diameter	Width	Arbor	Part#
4" (102 mm)	.250	7/8"-5/8"	168324
4-1/2" (114 mm)	.250	7/8"-5/8"	168326
5" (127 mm)	.250	7/8"-5/8"	168327