



MK Diamond Products, Inc.

Masonry Saws - Portable

MK-2000 SERIES BX-4
MK-1280 SERIES MK-1080



1315 Storm Parkway, Torrance, CA 90501, USA
Tel: 1.800.421.5830, 310.539.5221 • Fax: 310.539.5158
mkdiamond.com • customerservice@mkdiamond.com



Scan for Video



MK-2001SV



MK-2002-16



MK-2000 Electric Series Wet/Dry Cutting Masonry Saw

The powerful MK-2000 brick saw features include a unique and innovative open-back design allowing large material to be easily cut. The cast aluminum blade guard has stainless steel water tubes that will not bend or rust. The blade shaft assembly is built with sealed, permanently lubricated, heavy-duty bearings for long maintenance free life. The recoil spring return cutting head makes plunge cutting quick and easy. One-year limited warranty.

Model	MK-2001SV	MK-2002	MK-2002-16
Blade Capacity	14" (350 mm)	14" (350 mm)	16" (406 mm)
Depth of Cut	5" (127 mm)	5" (127 mm)	6" (152 mm)
Length of Cut	16" (406 mm)	16" (406 mm)	16" (406 mm)
Engine/Motor	Baldor (Electric)	Baldor (Electric)	Baldor (Electric)
Power	1-1/2 HP, 120V	2 HP, 120V/230V [†]	2 HP, 120V/230V [†]
L x W x H (inches)	34" x 25" x 32"	34" x 25" x 32"	34" x 25" x 32"
L x W x H (mm)	864 x 635 x 813	864 x 635 x 813	864 x 635 x 813
Weight	157 lbs. (71.2 kg)	170 lbs. (77.1 kg)	180 lbs. (81.6 kg)
Includes	<ul style="list-style-type: none"> • 14" Dry Cutting Diamond Blade • Electric Water Pump • Rip Guide 	<ul style="list-style-type: none"> • 14" Dry Cutting Diamond Blade • Electric Water Pump • Rip Guide 	<ul style="list-style-type: none"> • 16" Dry Cutting Diamond Blade • Electric Water Pump • Rip Guide
Part#	161195	150598	150598-16

Optional	Stand	Rolling Cart
Part#	153331	167437

[†]Available with 50Hz motor



Stay level blade guard allows for maximum depth of cut



Open-back design allows for material up to 16" long to be cut



Fork lift brackets for ease of transportation



MK-2005H



MK-2007K

MK-2000 Gas Series 14" Wet/Dry Cutting Masonry Saws

The MK-2000 Gas Series of masonry saws have been designed for high-production cutting. The pull-down handle on the cutting head prevents operator fatigue and increases visibility during all cutting operations. Jig-welded, reinforced steel construction, combined with sturdy die cast aluminum uprights, provide positive alignment. Specially located forklift brackets under the frame provide lifting control points for ease of transportation. One-year limited warranty.

Blade Capacity	14" (356 mm)		
Depth of Cut	5" (127 mm)		
Length of Cut	16" (406 mm)		
Model	MK-2005H	MK-2006V	MK-2007K
Engine/Motor	Honda (Gas)	Vanguard (Gas)	Kohler (Gas)
Power	GX160 Cyclone*	6.5 Hp*	CH270*
L x W x H (inches)	42" x 24" x 39"	42" x 24" x 39"	42" x 24" x 39"
L x W x H (mm)	1,067 x 610 x 991	1,067 x 610 x 991	1,067 x 610 x 991
Weight	171 lbs. (78 kg)	171 lbs. (78 kg)	171 lbs. (78 kg)
Includes	<ul style="list-style-type: none"> • 14" Dry Cutting Diamond Blade • Centrifugal Water Pump • Rip Guide 	<ul style="list-style-type: none"> • 14" Dry Cutting Diamond Blade • Centrifugal Water Pump • Rip Guide 	<ul style="list-style-type: none"> • 14" Dry Cutting Diamond Blade • Centrifugal Water Pump • Rip Guide
Part#	155961	169947	167999
Optional	Stand	Rolling Cart	
Part#	153331	167437	

*Engine power ratings are calculated by the individual engine manufacturer and the rating method may vary among engine manufacturers. MK Diamond Products makes no claim, representation or warranty as to the power rating of the engine on this equipment and disclaims any responsibility or liability of any kind whatsoever with respect to the accuracy or the engine power rating. Users are advised to consult the engine manufacturer's owners manual and website for specific information regarding the engine power rating.



Jack shaft system on gas powered saws utilizes Micro-V belts and precision machined pulleys



Shock-absorbing engine mounts for smooth operation



Optional cart makes setting bricks fast and easy



Blade not included

MK-1280 Wet Cutting Brick Saw

The MK-1280 is designed for landscaping, paving and masonry job sites. It's simple to operate and requires limited maintenance. This saw is designed for cutting large format bricks and pavers. The steel frame provides durability and strength. The closed back design with vacuum port helps in dust control. One-year limited warranty.

	Honda (Gas)	Baldor (Electric)
Motor/Engine	Honda (Gas)	Baldor (Electric)
Power	GX270*	2HP 120V/230V
Blade Capacity	16" (406 mm)	16" (406 mm)
Depth of Cut	5.75" (146 mm)	5.75" (146 mm)
Length of Cut	13.5" (343 mm) (2" Thick Brick)	13.5" (343 mm) (2" Thick Brick)
L x W x H (inches)	48.5" x 20.5" x 33"	40" x 20.5" x 30"
L x W x H (mm)	1,232 x 521 x 838	1,016 x 521 x 762
Weight	200 lbs. (91 kg)	185 lbs. (84 kg)
Part#	166561	167492



United States patent No:
7,284,547, 7,159,586 and 6,687,972

BX-4™ 1-3/4 HP, 14" Wet/Dry Cutting Masonry Saw

The BX-4™ is the only lightweight masonry saw to use a patent pending misting system to control dust generated during cutting. Unique features include a removable plastic tray and a locking table. The adjustable depth stop prevents cutting through the table. One-year limited warranty.

Motor	Electric
Power	1-3/4 HP, 120V
Blade Capacity	14" (356 mm)
Depth of Cut	5" (127 mm)
Length of Cut	16" (406 mm)
L x W x H (inches)	35" x 24" x 21"
L x W x H (mm)	889 x 610 x 533
Weight	70 lbs. (32 kg)
Includes	<ul style="list-style-type: none"> • 14" Dry Cutting Diamond Blade • Water Tank (Misting system only) • Rip Guide

Model	BX-4™ (misting)	BX-4™ (non-misting)
Part#	165486	162761

(Available with 220V/50Hz motor)

Optional Stand Part # 162771



Blade not included



MK-1080 Wet Cutting Brick Saw

The MK-1080 is a lightweight and portable brick saw. The high torque, 1-1/2 HP motor delivers plenty of power to cut pavers and hard brick. The steel frame provides durability and strength, while the spring-loaded cutting head is balanced and improves operator visibility during all cutting operations. One-year limited warranty.

Motor	Baldor (Electric)
Power	1-1/2 HP, 120V
Blade Capacity	10" (254 mm)
Depth of Cut	3-3/4" (95 mm)
Length of Cut	16" (406 mm)
L x W x H (inches)	33" x 23" x 23"
L x W x H (mm)	838 x 584 x 584
Weight	98 lbs. (44 kg)
Includes	<ul style="list-style-type: none"> • Water Pump • Rip Guide
Part#	153203

(Available with 220V/50Hz motor)